

# Cyberbond LLC

401 N. Raddant Rd. Batavia, IL 60510  
Tel: 630-761-8900; Fax: 630-761-8989

Emergency Tel: 800-535-5053

# Material Safety Data Sheet

## 1- Chemical Product and Company Identification:

Product Name: **Titan 7242**  
Date revised: 4-13-99

Product Type: Anaerobic

## 2- Composition/Information on Ingredients:

<u>Hazardous Component</u>	<u>CAS Number</u>	<u>%</u>
Dimethacrylate Ester	25852-47-5	65-75
Bisphenol A Fumurate Resin	39382-25-7	20-30
Saccharin	81-07-2	1-3
Polyethylene	9002-88-4	1-3
Amorphous Silica	112945-52-5	0.1-1.0
Cumene Hydroperoxide*	80-15-9	1-3
Organic Acid	Trade Secret	0.1-1.0
Dyes	Trade Secret	0.03-0.10

\*SARA Section 313 Toxic Chemical

<u>Ingredients which have exposure limits</u>	<u>ACGIH (TLV)</u>	<u>OSHA (PEL)</u>	<u>OTHER</u>
<u>Exposure Limits (TWA)</u>			
Amorphous Silica	10mg/m3 TWA	6mg/m3 TWA	3mg/m3 TWA resp. dust

## Exposure Limits (STEL)

## 3- Hazards Identification:

Toxicity: Mild Eye Irritant

Primary routes of Entry: Eyes, skin

Signs of exposure: May cause dermatitis on prolonged contact in sensitive individuals.

Existing Conditions

Aggravated by Overexposure: None Known

## 4- First Aid Measures:

Ingestion: Do not induce vomiting. Keep individual calm. Obtain medical attention.

Inhalation: Does not apply.

Skin contact: Wash affected area with soap and water.

Eye contact: Flush with warm water. Seek competent medical attention.

## 5- Fire Fighting Measures:

Flash Point: 150-200F, Tag Closed Cup

Extinguishing Media: Foam, Dry Chemical or Carbon Dioxide

Unusual Fire or Explosion Hazards: None.

Special Fire Fighting Procedures: None.

Hazardous Products formed by Fire or Thermal Decomposition : Irritating Organic Vapors

## Cyberbond LLC

401 N. Raddant Rd. Batavia, IL 60510  
Tel: 630-761-8900; Fax: 630-761-8989

Emergency Tel: 800-535-5053

# Material Safety Data Sheet

**TITAN 7242**

### **6-Accidental Release Measures**

Steps to be taken in case of spill or leak: Soak up with inert absorbent. Store in a partly filled, closed container until disposal.

### **7- Handling and Storage:**

Safe storage: Store below 100°F.  
Handling: Avoid contact with skin and eyes.

### **8- Protective Equipment:**

Ventilation: Does not apply.  
Respiratory protection: Not applicable.  
Skin: Rubber, Polyethylene, or neoprene gloves.  
Eye protection: Safety glasses or goggles with side shields.

### **9- Physical and Chemical Properties:**

Appearance: Powder Blue liquid  
Odor: Mild  
Boiling Point: Greater than 300F  
Vapor Pressure: Less than 5mmHg @20C  
Vapor Density: Approximately 3 (Air =1)  
Evaporation rate: Not applicable  
Specific Gravity: 1.04  
Solubility in water: Negligible.

### **10- Stability and Reactivity**

Stability: Stable  
Hazardous Polymerization: Will not occur  
Incompatibility: None

### **11- Toxicological Information**

See Section 3

### **12-Ecological Information**

No Data

# Cyberbond LLC

401 N. Raddant Rd. Batavia, IL 60510  
Tel: 630-761-8900; Fax: 630-761-8989

Emergency Tel: 800-535-5053

# Material Safety Data Sheet

**TITAN 7242**

### **13- Disposal Considerations:**

Disposal procedures: Incinerate or dispose of in an approved landfill in accordance with local and EPA regulations. Not a RCRA hazardous waste.

### **14- Transportation Information:**

Domestic Ground Transport:  
Proper shipping name: Unrestricted (not more than 450 liters)  
Combustible liquid, n.o.s. (more than 450 liters)  
Hazard class or division: Unrestricted (Not more than 450 liters)  
Combustible liquid (more than 450 liters)  
Identification number: None (Not more than 450 liters)  
NA 1993 (More than 450 liters)  
Marine pollutant: No

### **15- Regulatory Information**

CA Proposition 65: This product contains saccharin. Proper usage necessitates no Proposition 65 warning

### **16- Other Information**

<u>Hazard</u>	<u>NFPA Hazard Code®</u>	<u>HMIS Hazard Code®</u>
Health	1	1
Fire	1	1
Reactivity	1	1
Specific Hazard	None	Personal protection: See Section 8

NFPA is a registered trademark of the National Fire Protection Association  
HMIS is a registered trademark of the National Paint and Coatings Association

Prepared by: Fred W Cain  
Company: Cyberbond LLC  
Revision Date: 13-Apr-1999